arXiv:math/0308108v1 [math.PR] 12 Aug 2003

A NON CONSTRUCTIVE PROOF OF THE EXISTENCE OF A MAXIMAL IRREDUCIBILITY MEASURE.

SANATAN RAI

Abstract. We deduce the existence of a maximal irreducibility measure for a Markov chain using Zorn's lemma.

Let $\mathbf{X} := \{X_n\}_{n\in\mathbb{N}_0}$ be a Markov Chain with values in space $(\mathcal{S}, \mathfrak{S})$. A measure ϕ on $(\mathcal{S}, \mathfrak{S})$ is called an *irreducibility measure* for $\mathbf{X}$, if for all $A \in \mathfrak{S}$,

$$\phi(A) > 0 \implies (\forall x \in \mathcal{S})\ L(x, A) > 0. \tag{1}$$

Here $L(x, A) := P_x\{\tau_A < \infty\}$, for $\tau_A := \inf\{n \geq 0 : X_n \in A\}$. In general, there will be many irrducibility measures for the given chain. These measures tell us about the structure of the space $(\mathcal{S}, \mathfrak{S})$ as seen by $\mathbf{X}$. So which measure is the best?

We have not said anything about the reverse implication in (1). It is natural to question when the reverse implication is true. The reverse implication is true for the *maximal irreducibility measure*, and is in fact a characterising feature. So when does such a measure exist? As long as there is *at least one* irreducibility measure for $\mathbf{X}$, there is a maximal irreducibility measure.

Note that if $\mu \ll \psi$ is another measure, then μ is also an irreducibility measure. This is so because, if $\mu(A) > 0$ then $\phi(A) > 0$, but then $L(x, A) > 0$ for all x. We can now state the ([1])

Theorem 1. *If there exists an irreducibility measure ϕ on $\mathfrak{S}$ for the chain $\mathbf{X}$, then there exists a unique maximal irreducibility measure ψ on $\mathfrak{S}$ such that*

1. *ψ is an irreducibility measure for $\mathbf{X}$,*
2. *μ is an irreducibility measure for $\mathbf{X}$ if and only if $\mu \ll \psi$, and,*
3. *if $A \in \mathfrak{S}$ is such that $\psi(A) = 0$, then $\psi\{x : L(x, A) > 0\} = 0$.*

This theorem also defines a maximal irreducibility measure.

Proof. The uniqueness follows from (2) above. For if ψ and ψ' are maximal irreducibility measures, $\psi \ll \psi'$ and $\psi' \ll \psi$, since they are also irreducibility measures. Hence $\psi \sim \psi'$.

Let $\mathfrak{M}$ be the set of all irreducibility measures on $\mathfrak{S}$ for $\mathbf{X}$. Impose the order $\prec$ $(\succ)$ by $\phi \prec \phi' \equiv \phi' \succ \phi \Leftrightarrow \phi \ll \phi'$.
Claim: Every chain has an upper bound.

Proof of claim. Let $\phi_1 \prec \phi_2 \prec \ldots$ be a chain. Define the upper bound ϕ as follows.

$$\forall A \in \mathfrak{S},\ \phi(A) := \lim_n \phi_n(A) \tag{2}$$

If we can show that ϕ is a measure on $\mathfrak{S}$, then ϕ will be the required upper bound. For the ϕ_m form a chain, $\phi_m(A) \leq \phi_{m+1}(A)$ and so the sequence of numbers $\phi_m(A)$

is increasing, and so, $\phi(A) = \lim_k \phi_k(A) \geq \phi_m(A)$ for all $m \in \mathbb{N}$. Hence, if $\phi(A) =$, then $\phi_m(A) =$ for all m. This implies that $\phi \gg \phi_m,\ \forall m \in \mathbb{N}$.

To show that ϕ is a measure, we must prove that

(1) $\phi(\varnothing) = 0$,
(2) $A, B \in \mathfrak{S} : A \subset B \implies \phi(A) \leq \phi(B)$,
(3) and, $\{A_n\}_{n\in\mathbb{N}} \subseteq \mathfrak{S}$ then $\phi(\cup_n A_n) \leq \sum_n \phi(A_n)$

To this end, note that $\phi(\varnothing) = \lim_n \phi_n(\varnothing) = \lim_n 0 = 0$, and for $A \subset B$, $\phi(A) = \lim_n(A) \leq \lim_n \phi_n(B) = \phi(B)$. Similarly, $\phi(\cup_k A_k) = \lim_n \phi_n(\cup_k A_k) \leq \lim_n \sum_k \phi_n(A_k) = \sum_k \lim_n \phi_n(A_k) = \sum_k \phi(A_k)$, where the interchange of the sum and the limit is allowed since all the terms are positive.

This shows that ϕ is indeed a measure. $\square$

Thus we have shown that every chain has an upper bound. Since there exists *some* irreducibility measure, the set of elements ordered by $\gg$ is well not empty. So by Zorn's lemma, there exists a maximal element. This element is the maximal irreducibility measure.

$\square$

References

[1] Meyn, Sean P. and R. L. Tweedie: *Markov Chains and Stochastic Stability*, Springer, 1993.

E-mail address: `sanat@stanford.edu`

Department of Management Science and Engg., Stanford University, Stanford, California 94305.